



Mental Health
Collaborative



Mental Health Essentials for Communities

Ashland Decisions at Every Turn

May 22, 2024
6:00pm-7:30pm

Adapted from the Go-To Educator Program:
Dr. Stan Kutcher MD, FRCPC, FCAHS
& Dr. Yifeng Wei, MA, PhD
MentalhealthLiteracy.org

Copyright © 2024 Mental Health Collaborative, Inc.

Materials cannot be reproduced or used for any other
purposes than per contract



Mental Health
Collaborative

Sponsored by





Mental Health
Collaborative

Meet Our Trainers



Arti Kumar Jain
Ph.D Candidate, MCHC, M.Ed



Elizabeth Schuster
M.A. In Counseling Psychology



Objectives

- ❖ how to identify when you or your loved ones need support
- ❖ how and where to get professional support
- ❖ how to talk about mental health
- ❖ how to use self-care strategies for yourselves & your loved ones

Let's take a poll!


What is Mental Health Literacy?



Mental Health Literacy: The 4 Components

Decrease stigma

**Understand how to
obtain and maintain
good mental health**



**Understand and identify
mental illnesses and
their treatments**

**Enhance help-seeking
efficacy**



Mental Health
Collaborative

Who needs MHL?

Everyone Can Benefit From Mental Health Literacy





Early Diagnosis and Treatment of Mental Illness is Critical

Did you know?

75%

of mental illness begins
by age **25**

20%

percent of the
population is affected by
mental illness

**8-11
years**

is the average delay between
onset of symptoms and
intervention



Early Diagnosis and Treatment of Mental Illness is Critical

Why is there a delay?


**stigma & fear of
being judged**

**lack of
knowledge**

**lack of access
to care**



Mental Health
Collaborative




Decreasing Stigma



Talking about mental health can be confusing

**SO
MANY
TERMS**





And terms are often misused

“I’m so OCD!”

“He is so bipolar!”

“Stop acting psychotic!”

**“I can’t concentrate today.
I’m so ADHD.”**

“She is so anorexic...”


“You’re moody... Are you bipolar?”



The Mental Health Literacy Pyramid

What do these words mean?

The Inter-Relationship of
Mental Health States





How can I tell if this is a mental illness?

Mental Illness vs. Mental Health Problems or Mental Distress

**Signs vs. Symptoms of
Mental Illness**

**Is this Getting in the
Way of School/Work/
Relationships?**

Length of Time

**Cultural
Factors**

**Alcohol/
Drug Misuse**

Family History



Thinking more about how we (and our society) view mental illness

Write 2 words that come to mind when I say:

**Person with
mental illness**

How do we think about mental illness?

Source: <https://www.youtube.com/watch?v=Bor9xVnblz8>
GTA Wellness Consultation



Myths & Truths About Mental Illness

Myth:

People with mental illnesses have severe and persistent symptoms, have difficulty functioning and do not respond well to treatments.

Myth:

People with mental illnesses are oftentimes violent.

Truth:

Most people with mental illnesses respond well to treatment and live full, healthy lives.

Truth:

People with mental illness are more likely to be **VICTIMS** of violence.

What Causes Mental Illness?



Mental Health
Collaborative



Key Takeaways

75%

of lifetime cases of mental illness begin by age **25**

20%

percent of the population is affected by mental illness

**8-11
years**

is the average delay between onset of symptoms and intervention

**Most people
experience good
outcomes with
treatment**


**Early
identification
and treatment
is critical**

**Our
language
matters!**

**Reducing
stigma
matters!**



Mental Health
Collaborative



Understanding & Identifying Mental Illnesses & Their Treatments

Anxiety



Mental Health
Collaborative

Let's talk about





Mental Health
Collaborative

Stress: Not Necessarily the Enemy





Typical Stress Response

Situation or Trigger

- Meeting new people
- Giving a presentation
- Climbing a tall ladder
- Going to a job interview
- Going to a first therapy session

Stress Response

- Apprehension
- Nervousness
- Tension
- Edginess
- Nausea
- Sweating
- Trembling

Outcome

- Transient
- Drives adaptation to the stress
- When successful, results in learning of new skills & the person becomes resilient



Anxiety: A State of Hyperarousal

Situation or Trigger

- Meeting new people
- Giving a presentation
- Climbing a tall ladder
- Going to a job interview
- Going to a first therapy session
- **NO TRIGGER**

Stress Response

- Apprehension
- Nervousness
- Tension
- Edginess
- Nausea
- Sweating
- Trembling

Outcome

- Persistent, excessive & inappropriate anxiety
- Causes impairment
- High intensity & leads to dysfunctional coping
- **WITHDRAWAL & AVOIDANCE**

Anxiety with Morgan

Source: <https://youtu.be/oTEQp20AeOg>
Minding Your Mind





Warning Signs of Anxiety Disorders




Emotional signs

Excessive worry about many things, tense, “on guard,” lack of interest in things, excessive fears



Verbal signs

Talking About: worry, feeling ashamed or humiliated, report difficulty concentrating or not being able to focus



Behavioral signs

Isolating, not wanting to go certain places or out at all, panic attacks, physical symptoms that have no other explanation, withdrawal and avoidance, restlessness/agitation, fatigue, insomnia, stomach issues, aches, substance use



Let's Review:

True or False?

Both stress and anxiety cause uncomfortable feelings.

True!

True or False?

All stress is very harmful to our health.

False!



Is it stress or anxiety?

STRESS

Generally is a response to an external cause/stressor.

Goes away once the situation is resolved.

Can be positive or negative stress.

Drives learning, adaptation and resilience/growth.

BOTH

BOTH STRESS & ANXIETY CAN AFFECT YOUR MIND & BODY.

Both can feel uncomfortable.

You may experience symptoms such as:

Excessive worry, uneasiness, tension, physical pain, sleep or appetite issues.

ANXIETY

Usually involves a persistent feeling of apprehension or dread that doesn't go away.

Interferes in functioning.

Is constant, even if there is no immediate threat or no trigger.

Leads to withdrawal & avoidance.

Depression



Mental Health
Collaborative



Most Mood Shifts Are Normal

Everyday life gives rise to numerous negative and positive emotional states.

Negative emotions such as sadness, unhappiness, frustration, disappointment, demoralization are NOT depression.

Positive emotional states such as elation, joy, and excitement are NOT mania.



Depression with Sarika

Source: <https://youtu.be/W98QTWSrBjA>
Minding Your Mind



Mental Health
Collaborative





Mental Health
Collaborative

Recent trends in US suicide rate

1

Suicide with Wes

Source: <https://youtu.be/m6FIpe5jrVc>
Minding Your Mind





Warning Signs of Depression & Suicide




Emotional signs

Mood changes (sad/unhappy), lack of interest in things normally enjoyed, increased anxiety, irritability, hopelessness, worthlessness, increased/inappropriate guilt and shame



Verbal signs

Talking about: wanting to die (actively or passively), feeling alone, life having no purpose, feeling like a burden, feeling ashamed or humiliated, thoughts of suicide



Behavioral signs

Isolating, giving things away, reckless behaviors, increase in anger or aggression, too much or too little sleep/appetite changes, fatigue, low concentration, panic attacks, low energy, stomach aches, headaches, joint aches, substance use



Suicide

- **Multi-faceted and complex (biological, psychological, interpersonal, environmental)**
- **Strongly linked with the presence of a mental illness (diagnosed or undiagnosed)**
- **Can occur impulsively when people feel overwhelmed & that they lack support or hope**
- **Most effectively prevented by early identification, diagnosis and effective treatment of mental illness**

Some historically marginalized groups are at greater risk for suicide



Have the Conversation

Will asking someone
about suicidal
thoughts and/or
plans plant the seed?

**Asking someone if they have
thoughts or plans of suicide
will NOT plant the seed...**

**In fact, it will give them the
opportunity to talk and get help!**



Mental Health
Collaborative



is the new national suicide prevention line.

**Call or text 988 if you or someone you know is
experiencing a mental health crisis.**



What happens when I call 988?

- You'll hear an automated welcome message with these options:
 - Español/Spanish line
 - Military/Veterans line
 - LGBTQ+ line
 - or stay on the main line
- You'll be connected to a **local trained crisis counselor**, who will **listen** to understand what you're experiencing, **provide support**, collaboratively **develop ways to feel better**, and **connect you to resources** if needed.

To learn more, visit <https://988lifeline.org/wp-content/uploads/2021/08/Back-to-Basics.png>, <https://988lifeline.org/> or <https://mhanational.org/resources/988>



Persistent Self-Harm (Non-Suicidal Self-Injury/NSSI)

- **Deliberate, self-inflicted destruction of body tissue**
 - **(examples: cutting, burning, and scratching skin, etc)**
- **NOT a suicide attempt, often a cry for help**
- **Requires professional help**



Let's Review:

True or False?

Having 3 bad days in a row might mean you're depressed.

False!


True or False?

Asking someone about suicide will give them the opportunity to get help.

True!



Mental Health
Collaborative



Obtaining & Maintaining Good Mental Health




Mental Health
Collaborative

**What are some of the
strategies you use to
cope with stress?**



Essential Mental Health Promotion Strategies



Sufficient sleep, good nutrition,
hydration, & exercise



Prioritizing your own self care:
make time for things you enjoy



Managing
substance use



Helping others, practicing
gratitude, & volunteering
as time permits



Supportive & trusting
relationships



Strategies for Tough Times

**Notice what is
going well**

**Plan what you
can**

**Let go of the
uncontrollables**

**Accept
imperfection**

**Exercise
empathy for
yourself &
others**

**Stay
connected &
present**


**Prioritize
healthy fun &
laughter**

**Ask for help
when you
need it**



Box Breathing

If possible, sit and close your eyes. Visualize a box with 4 equal sides.





Emotional Health

Family

Physical Health

NO PRESSURE

BUILDING BALANCE

Social Health

Work

Finances

Spiritual Life

BABY STEPS

WORK IN PROGRESS



It is okay & necessary to care for yourself (not a reward)

“I have come to believe that caring for myself is not self indulgent. Caring for myself is an act of survival.”

— Audre Lorde

“Self-care is an attitude that I am responsible for myself.”

— Melody Beattie


Self-Care Action Plan: Homework

1. **Make a list of the things that are essential for your good health**
2. **Make a list of the things that make you feel good and bring you joy**
3. **Post the list where you can see it (and, if you feel comfortable, where others can see it too)**
4. **Make time and space for #1 & #2**
5. **Ask for help and accountability in following through with your plan**
6. **Practice compassion for yourself and others – Forgive yourself and accept imperfection**



Identifying Emotions:

The Emotion Wheel





Mental Health
Collaborative

What To Do If You're Concerned

Refer: Help them to connect with a mental health professional for assessment and evidence-based treatment (therapy and possibly medication).

Converse: Open up the conversation and talk about what you notice, if you feel comfortable. Don't ignore what you see.

Reassure: This is not their fault and they can feel better with treatment.

Ask: Ask for support from those around you. You don't have to do this alone!

***Call 988 if concerned
about immediate safety**



Having Conversations About Mental Health

Share your observations

“I notice...”

Ask non-judgmental questions to gather info

**“Tell me more...”
“I wonder if....”**

Validate their feelings & encourage vulnerability

“It sounds like you’re feeling...Thank you for sharing that with me”

Plant a seed of hope


“There are things we can do to help you”

Ask how to help & create an action plan

“What can I do to support you? Our next step...”



Mental Health
Collaborative



Enhancing Help-Seeking Efficacy



Where to Access Treatment

General

Pediatrician/Family Practice Physician

Health insurance company

Children's Behavioral Health Initiative (CBHI) *for those insured by Mass Health:

<https://www.mass.gov/childrens-behavioral-health-initiative-cbhi>

Massachusetts Behavioral Health Helpline: 833-773-2445

Outpatient clinics in various communities

School adjustment counselor/guidance

Psychiatric emergency services (PES)

Faith based and cultural specific supports

Employee Assistance Programs (EAP)

Word of mouth

Hot lines (See resource section)



Where to Access Treatment

Ashland, MA

Ashland Department of Prevention & Human Services

<https://www.ashlandmass.com/229/Department-of-Human-Services>

508-881-0140

Metrowest Referral Line

<https://www.bhpmw.info/referral-line/>

1-844-528-6800

Advocates Psychiatric Emergency Services

<https://www.advocates.org/services/psychiatric-emergency-services>

(800) 640-5432 (24/7)

Advocates Community Counseling

<https://www.advocates.org/who-we-are/locations>

(508) 661-2020


Wayside Family and Youth Support Network

waysideyouth.org


(800) 492-9743 (508) 620-0010 (508) 879-9800




Mental Health Literacy: The Takeaways




- **Mental illnesses are clinical illnesses.**
- **Language matters!**



- **Signs & symptoms vary greatly.**
- **ALWAYS seek help if concerned.**



- **Self-care is not an option.**
- **Going back to basics makes a big impact.**



- **Treatment works and help is available!**



Other Mental Health Essentials Programs Offered by MHC

Educators:
knowledge and tools for the
classroom

Student Curriculum:
6-module curriculum for
MS/HS students

**Beyond High
School :**
knowledge and tools for
high school juniors & seniors

Coaches:
knowledge and tools for
athletic teams & other
student groups

Workplaces:
knowledge and tools for
employers and employees

Mentors:
knowledge and tools for
mentors, volunteers, and
staff



Resources: See Appendix (PDF Handout)

- We have a number of resource slides at the end of the presentation:
 - hotlines & warmlines
 - resources for accessing basic needs
 - resources for affordable treatment
 - questions to ask healthcare professionals
 - fast facts
 - and more

Questions?

Follow us on our website and on social media for further information and resources:

www.mentalhealthcollaborative.org



MentalHealthCol



Mental Health CollaborativeMA



@mentalhealthcollaborative



Mental Health Collaborative

Copyright © 2024 Mental Health Collaborative, Inc.

Materials cannot be reproduced or used for any other purposes than per contract



Resources

Lifelines to Call and/or Text

- **National Suicide Prevention Lifeline:**
988 or 1-800-273-TALK (8255)
- **Mental Health Crisis Text Line:**
Text "Buddy" to 741-741 or call: 1-877-382-1609
- **The National Alliance on Mental Illness (NAMI)**
Treatment provider locator: 1-617-704-NAMI
Nami information helpline: 1-800-950-NAMI
Provides free referral information and support



Resources

Lifelines to Call and/or Text

- **Trans Mental Health Lifeline:** 1-877-565-8860
- **Gay & Lesbian Mental Health Lifeline:** 1-888-843-4564
- **Alcoholics Anonymous:** 1-888-GET-HOPE
- **Gamblers Anonymous :** 1-855-222-5542
- **Narcotics Anonymous :** 1-800-543-4670



Resources

Massachusetts Specific Resources

- **Massachusetts Substance Use Treatment & Recovery Services Helpline:**
1-800-327-5050
- **Call2Talk: (24 hour confidential support line):** 1-508-532-2255
- **Samaritans of Massachusetts:**
<https://samaritanshope.org/our-services/247-crisis-services/> 877.870.HOPE (4673)
- **Mass Behavioral Health Helpline:** 833-773-2445



Resources

Meeting our basic needs has a significant impact on our mental health.
Here are some **resources to help** us with those needs.

Food Security:

- <https://www.nutrition.gov/topics/food-security-and-access/food-assistance-programs>
- <https://www.nal.usda.gov/human-nutrition-and-food-safety/nutrition-security>
- <https://foodcommunitybenefit.noharm.org/resources/implementation-strategy/connecting-food-insecure-individuals-resources>

Housing Security:

- https://www.hud.gov/topics/rental_assistance
- <https://www.hudexchange.info/housing-and-homeless-assistance/>
- <https://www.usa.gov/finding-home>
- <https://nlihc.org/rental-assistance>

Employment Security:

- <https://www.dol.gov/general/topic/training/onestop>
- <https://www.usa.gov/unemployment>
- <https://www.benefits.gov/categories/Employment%20and%20Career%20Development>

Financial Literacy:

- <https://www.fdic.gov/resources/consumers/money-smart/teach-money-smart/money-smart-for-adults.html>
- <https://www.consumerfinance.gov/consumer-tools/educator-tools/adult-financial-education/tools-and-resources/>
- <https://www.incharge.org/financial-literacy/>

Healthcare:

- <https://www.healthcare.gov/get-coverage/>
- <https://www.hhs.gov/programs/health-insurance/index.html>



What if I can't afford or access treatment?

There are options available to you:

- **Sliding scale:** Many providers offer a "sliding scale," which allows those who can afford less to pay a discounted rate. Ask your provider if this is an option they offer.
- **Group therapy:** Group therapy has been shown to have the same level of effectiveness as individual therapy, and it is often significantly less expensive.
- **Pro-bono therapy:** Some providers will offer therapy pro-bono (free) if you demonstrate financial need. It is worth asking if pro-bono treatment is an option.
- **Open Path (<https://openpathcollective.org/>):** Open Path connects patients to low-cost mental health care.
- **The National Association of Free & Charitable Clinics (<https://nafcclinics.org/find-clinic/>):** This organization is a directory of free and low-cost clinics for many different kinds of healthcare, including mental health.
- **Clinical trials/university research centers:** Clinical trials and university research centers for mental health and behavioral health often provide their treatments or interventions free of cost. However, you must qualify to participate and there may be risks associated with participating. Any risks will be explained to you before you choose to enroll or not.



Communicating with your Health Care Provider

Questions an Educated Consumer May Want to Ask

Diagnosis

- What do you think my diagnosis is?
- Are there other possibilities as to what it might be?
- What does this mean for my day-to-day life and my future?
- What are some things I can do to get well?
- Where can I get more information about this condition?

Treatment Options

- What are my treatment options?
- What kinds of studies have been done on these treatments?
- What are the benefits and risks of each treatment?
- How likely is each treatment to help me?
- How will the treatment potentially affect me in my everyday life?



Communicating with your Health Care Provider

Questions an Educated Consumer May Want to Ask

Medication

- How does this medication work?
 - What other medications would be considered and why are you recommending this one?
 - What are the risks and benefits of this medication?
 - What kinds of studies have been done with this medication?
 - What is the likelihood that this medication will work?
- Are there any interactions with this medication?
 - What are the potential side effects and will they fade over time?
 - When will I start to notice the results?
 - How will I know if the medication is working?
 - How long will I be on this medication?
 - What will happen if this medication does not work?



Communicating with your Health Care Provider

Questions an Educated Consumer May Want to Ask

Psychological Treatment

- How will this therapy help me?
- What are the alternative therapies and why are you recommending this one?
- How likely is this therapy likely to help someone like me?
- What are the risks/benefits of this kind of therapy?
- When can I expect to see results?
- How will I know if the therapy is working?
- How long will this therapy last?
- When will I start to notice the results?



Some things you can do to fight stigma & discrimination

Be mental health literate

Have accurate information about mental health & mental illness

Be open-minded

Listen to people who have experienced mental illness—how they have been stigmatized, how it has affected their lives

Watch your language


Avoid terms & expressions that perpetuate stigma, like 'lunatics', 'nuts,' or 'psychotic'

Speak up

Correct anyone exhibiting stigmatizing behaviors and/or using stigmatizing language

Create safety

Provide a supportive space for anyone who is living with a mental illness





How to Be a Mental Health Ally

If You Are Concerned About Someone You Know

- 1** Engage and open a conversation: ask them how they are doing.
- 2** Listen carefully to what they say and give them your time.
- 3** Validate how they are feeling and what they are experiencing.
- 4** Gently express care and concern in a non-judgmental and empathic way: let them know you are there for them.



How to Be a Mental Health Ally

If You Are Concerned About Someone You Know


- 5 Offer emotional support (What can I do to be there for you?)
- 6 Offer practical help (What can I take off your plate? What can I do to help and/or make life easier?)
- 7 Assess if this is urgent or not (ask about suicidal thoughts if indicated)
- 8 If this is urgent or a crisis, explain that you need to tell someone and get help.

NEVER AGREE TO KEEP A SECRET IF YOU ARE WORRIED ABOUT SOMEONE'S SAFETY!



Fast Facts on Different Mental Illnesses

*These facts are for general educational purposes only and are not meant to substitute for professional medical help.





Anxiety Disorders

Fast Facts

Generalized Anxiety Disorder

- Characterized by excessive worry about many different things, worry happens on most days for at least 6 months
- The person is so anxious that their worries interfere with their ability to function
- The anxiety of worry is associated with 3 or more of the following: restlessness (feeling “on edge” or keyed up), difficulty concentrating or mind going blank, irritability, muscle tension, sleep disturbance

Panic Disorder

- Characterized by:
 - frequent, recurring panic attacks that often happen without any specific cause or trigger
 - fear of future panic attacks (anticipatory anxiety)
 - avoidance of situations that are difficult to escape from, like large crowds or public places (agoraphobia)

Social Anxiety Disorder

- Characterized by significant and persistent fear of being judged, criticized, or humiliated in social situations
- Fear is intense, out of proportion to the actual threat, persistent
- Panic attacks can occur, but often only in social situations
- Fear or anxiety interferes with a person's ability to live normally (socialize, attend school/work, take care of themselves)

All anxiety disorders are best treated with psychotherapies (usually cognitive behavioral therapy [CBT]) and sometimes medication if needed. All anxiety disorders (and other mental illnesses) can lead to substance abuse/misuse if untreated. Treatment can take up to 10 weeks to start working, but the vast majority of people who receive treatment get better!



Attention Deficit Hyperactivity Disorder (ADHD)

Fast Facts

- ADHD is a brain disorder where people have difficulty in **one, two, or all** of the following areas:
 - difficulty controlling activity level (ex. hyperactivity, inability to sit still)
 - difficulty focusing and sustaining attention on one task
 - acting impulsively
- People with ADHD:
 - often inherit the disorder through genetics
 - have normal or above average intelligence
 - are not trying to be disruptive
 - sometimes outgrow the disorder as the brain fully develops
- Treatment for ADHD involves therapy and oftentimes medication. The vast majority of people who receive treatment manage their condition well!





Bipolar Disorder

Fast Facts

- Bipolar Disorder is a disorder of the brain characterized by extreme ups (mania) and extreme downs (depression) in mood.
- Bipolar Mood Disorder is the medical name for what was sometimes called Manic Depressive Illness.
- Signs and symptoms of a depressive episode are the same as Depression itself
- Signs and symptoms of a manic* episode include:
 - feelings of euphoria, overly high self-esteem, excessive energy, irritability
 - racing thoughts and very fast speech
 - spending sprees and excessive gambling
 - drug/alcohol abuse and risky sexual behaviors
 - psychosis (hallucinations & delusions)
- Treatment for Bipolar Disorder involves therapy and medication. The vast majority of people who receive treatment live full, successful, healthy lives!





Depression

Fast Facts

- Depression is a disorder of the brain which is different than normal sadness or unhappiness or normal ups and downs of life.
- Signs and symptoms can involve
 - severe low mood (feelings of hopelessness and despair)
 - physical issues in the body (headache, nausea, fatigue, etc.)
 - changes in eating or sleeping habits
 - inability to concentrate
- Symptoms interfere with functioning. They may affect our ability to socialize, take care of ourselves, work, etc.
- Treatment for Depression involves therapy and oftentimes medication. Treatment can take up to 6 weeks to see improvement, but the vast majority of people who receive treatment get better!





Eating Disorders

Fast Facts

- Many people have changes in their eating habits, but actual eating disorders are not very common. When eating disorders occur, they are very serious.
- They involve a preoccupation over body weight, eating, and food.
- There are different types of eating disorders. Two of the most common are:
 - **Anorexia Nervosa:** where people are at a dangerously low body weight but see themselves as heavy
 - **Bulimia Nervosa:** where people feel out of control with food and overeat (binging) and feel the need to purge the food in some way (over exercise, inducing vomiting, or laxative abuse)
- Eating Disorders are dangerous and require multi-approach treatment including therapy (individual, family, and group), nutritional counseling, and sometimes medication





Obsessive Compulsive Disorder (OCD)

Fast Facts

- OCD is a disorder in the brain's functioning that leads to is a brain disorder that leads to two particular symptoms:
 - **Obsessions:** persistent, recurring thoughts that the person wants to get rid of, but can't stop thinking about (ex. *Did I turn the oven off before I left for work? What if I burn the house down?*)
 - **Compulsions:** persistent, repetitive rituals that the person does to try to stop the obsession (ex. *Getting out of the car, going back inside, checking to make sure the oven is off, often repeated multiple times*)
- People with OCD are aware that their behavior is not rational, and it causes them distress.
- Treatment for OCD involves therapy and oftentimes medication. The vast majority of people who receive treatment live full, successful, and healthy lives.





Post-Traumatic Stress Disorder (PTSD)

Fast Facts

- PTSD is a brain disorder when the normal stress response to a severe, often (but not always) life-threatening event doesn't go away.
 - The stress response persists well beyond the expected time (usually 6 weeks) and causes difficulty functioning in our normal lives.
- PTSD can cause nightmares, severe anxiety, and flashbacks to the event that triggered it.
- PTSD can happen to anyone who has experienced or witnessed a traumatic event.
 - It can also happen to those who had a loved one experience a traumatic event (ex. losing a family member to homicide, even if you weren't there when it happened).
- Treatment for PTSD involves therapy and oftentimes medication. The vast majority of people who receive treatment get better.





Schizophrenia

Fast Facts

- Schizophrenia is a rare brain disorder when people often experience **psychosis**, which is a break from reality
 - **Psychosis** is characterized by
 - **Hallucinations:** disturbances in perception (hearing voices, seeing things that aren't there, etc.)
 - **Delusions:** false beliefs that the person is 100% convinced are true (which often cause them to feel paranoid that people are against them)
- People with Schizophrenia are not violent people, despite how the media portrays them. However, when someone is in an extreme psychotic episode, there is a danger to themselves or others. During an episode of psychosis, people require immediate care and usually brief hospitalization. Call 911 immediately to get help if someone is experiencing a psychotic episode. Do NOT try to argue with them.
- Treatment for Schizophrenia always involves medication, therapy, and ongoing monitoring. The vast majority of people who receive treatment manage their condition well.





Substance Use Disorder

Fast Facts

- There are many types of substances which can be abused. If you notice any of the following, substance use may be a concern:
 - taking more/for longer than intended
 - wanting to cut down/quit, but can't
 - significant time spent (obtaining, using, recovering)
 - craving
 - repeatedly unable to carry out major obligations
 - using despite problems (social, interpersonal, physical, psychological)
 - stopping/reducing important social, occupational, recreational activities
 - using in physically hazardous situations
 - tolerance
 - withdrawal
- Treatment for Substance Use Disorder involves rehab, therapy, support groups, and sometimes medications. The vast majority of people who receive treatment manage their condition well.





Young Adult Experiences of Mental Health

- Depression with Sarika:
<https://youtu.be/W98QTWSrBjA>
- Anxiety with Morgan:
<https://youtu.be/oTEQp20AeOg>
- Bipolar Disorder with Catelin:
<https://youtu.be/HI0LDwbLTKE>
- OCD with Mallory:
<https://youtu.be/2vvtFPcvFuM>
- PTSD with Catelin:
<https://youtu.be/TrELXypNxDc>
- Disordered Eating with Elizabeth:
<https://youtu.be/0yn4QdRF0yk>
- Substance Use with Elizabeth:
<https://youtu.be/qHsYxAKhE3s>
- Suicide with Wes: <https://youtu.be/m6FIPe5jrVc>
- Engaging in Therapy with Wes:
<https://youtu.be/yozbFFvK7-Q>
- Medication for Mental Illness with Mallory:
<https://youtu.be/P9fPX9fixsw>
- Perfectionism & Pressure with Sarika:
https://youtu.be/qHeqsEm_rxs
- Mental Health & Being Trans
<https://youtu.be/lrDtEMtQQYg>



Mental Health
Collaborative

Resources

Psychology Today

www.psychologytoday.com/us

Offers a national directory of therapists, psychiatrists, therapy groups and treatment facility options

SAMHSA

Substance Abuse and Mental Health
Services Administration

www.findtreatment.samhsa.gov

Provides referrals to low cost/sliding scale mental health care



Mental Health
Collaborative

Resources



<https://screening.mhanational.org/>

Free screening tools & more resources



Mental Health
Collaborative

Reliable Websites



National Institute
of Mental Health

<https://www.nimh.nih.gov/health/index.shtml>



<https://www.psychiatry.org/patients-families>



ANXIETY AND DEPRESSION
ASSOCIATION OF AMERICA

<https://adaa.org/>



<https://www.thetrevorproject.org/>



National Alliance on Mental Illness

<https://nami.org/About-Mental-Illness>



<https://psychhub.com/>



<https://mentalhealthliteracy.org/>